



TITLE:

# Cover and Contents

AUTHOR(S):

---

CITATION:

Cover and Contents. Publications of the Seto Marine Biological Laboratory. Special Publication Series 2003, 7(1)

ISSUE DATE:

2003-03-15

URL:

<http://hdl.handle.net/2433/176478>

RIGHT:

Supplement to  
A CATALOGUE OF MOLLUSCS OF WAKAYAMA  
PREFECTURE, THE PROVINCE OF KII.

I BIVALVIA, SCAPHOPODA AND CEPHALOPODA

PREPARED BY

TAKASHI OKUTANI

(Scaphopoda and Cephalopoda)

AND

AKIHIKO MATSUKUMA

(Bivalvia)

EDITED BY

YASUO KOYAMA

With collaboration of Yoshihisa Shirayama and Shin Kubota

MARCH, 2004

KYOTO UNIVERSITY  
PUBLICATIONS OF THE  
SETO MARINE BIOLOGICAL LABORATORY  
SPECIAL PUBLICATION SERIES  
VOLUME VII

---

**Supplement to**  
**A CATALOGUE OF MOLLUSCS OF WAKAYAMA**  
**PREFECTURE, THE PROVINCE OF KII.**  
**I BIVALVIA, SCAPHOPODA AND CEPHALOPODA**

Scaphopoda and Cephalopoda

PREPARED BY

**TAKASHI OKUTANI**

Emeritus Professor of Tokyo University of Fisheries,  
President of the Malacological Society of Japan

and

Bivalvia

**AKIHIKO MATSUKUMA**

Professor of Kyushu University,  
Vice-President of the Malacological Society of Japan

EDITED BY

**YASUO KOYAMA**

Representative of the Editorial Committee of  
"A Catalogue of Molluscs of Wakayama Prefecture"

MARCH, 2004

Supplement to  
A CATALOGUE OF MOLLUSCS OF WAKAYAMA  
PREFECTURE, THE PROVINCE OF KII  
I BIVALVIA, SCAPHOPODA AND CEPHALOPODA

PRAPARED BY  
TAKASHI OKUTANI  
(Scaphopoda and Cephalopoda)  
AND  
AKIHIKO MATSUKUMA  
(Bivalvia)

---

With 8 Plates

---

CONTENTS

Preface .....	i
Collecting sites in Wakayama Prefecture .....	iii
Class Scaphopoda .....	1
Class Cephalopoda .....	3
Class Bivalvia .....	9
Subclass Protobranchia .....	9
Subclass Pteriomorphia .....	13
Subclass Heterodonta .....	20
Subclass Anomalodesmata .....	28
Index .....	49
Afterword .....	52

# Index

Entries in bold type show the number of plate and figure.

## A

<i>Abra philippinensis</i>	24
<i>Adipicola longissima</i>	14, <b>4-7</b>
<i>aizoi</i> , <i>Mimarcaria</i> cf.	13, <b>4-4</b>
Akebigai	26
<i>alcocki</i> , <i>Delectopecten</i>	16, <b>5-2</b>
<i>amamiensis</i> , <i>Monterosatus</i>	22
Arabori-hime-zaragai	23, <b>7-3</b>
Ara-hime-shakushigai	32, <b>8-11</b>
( <i>Archivesica</i> ) <i>kawamurai</i> , <i>Calyptogena</i>	26
Asa-zarugai	21, <b>6-4</b>
Ashibe-masuogai	25, <b>7-5</b>
<i>Asthenothaerus isaotakii</i>	29, <b>8-3</b>
<i>Axinulus simplex</i>	20, <b>2-5</b>

## B

<i>Batharca nipponica</i>	13, <b>4-3</b>
<i>Bathymalleria takaii</i>	10, <b>3-5</b>
<i>bistriatus</i> , <i>Cyclopecten</i>	17, <b>5-5</b>
<i>brevispinosus</i> , <i>Myadropsis</i>	28, <b>8-1</b>

## C

<i>Calyptogena</i> ( <i>Archivesica</i> ) <i>kawamurai</i>	26
<i>canalifera</i> , <i>Lithophaga</i> ( <i>Diberus</i> ) cf.	15, <b>4-10</b>
<i>Cardiomya kashimana</i>	32, <b>8-11</b>
<i>Cardiomya nipponica</i>	31, <b>2-8</b>
<i>Cardiomya robiginosa</i>	32, <b>8-12</b>
<i>Cetoconcha tenuissima</i>	30
Chigo-mategai	25, <b>7-6</b>
<i>chinensis</i> , <i>Glaucanome</i>	28, <b>7-12</b>
Chirimen-gin-sunagogai	30, <b>8-6</b>
<i>Chlamydella incubata</i>	18, <b>5-8</b>
<i>choshiensis</i> , <i>Limatula</i>	16
Choshi-yukibanegai	16
<i>coreensis</i> , <i>Megacardita</i>	21, <b>6-3</b>
<i>Cratis ohashii</i>	13, <b>4-5</b>
<i>cucullata</i> , <i>Saccostrea</i>	19, <b>6-1</b>
<i>Cuspidaria kyushuensis</i>	31, <b>8-10</b>
<i>Cuspidaria mitis</i>	31, <b>8-9</b>
<i>Cuspidaria obtusirostris</i>	31, <b>8-7</b>
<i>Cuspidaria sadoensis</i>	31, <b>8-8</b>
<i>Cycladicama oblonga</i>	20, <b>6-2</b>
<i>Cyclopecten bistratus</i>	17, <b>5-5</b>
<i>Cyclopecten nakaii</i>	18, <b>5-6</b>
<i>Cyclopecten nipponensis</i>	18, <b>5-7</b>

## D

<i>Delectopecten alcocki</i>	16, <b>5-2</b>
<i>Delectopecten vancouverensis</i>	16, <b>5-3</b>
( <i>Diberus</i> ) cf. <i>canalifera</i> , <i>Lithophaga</i>	15, <b>4-10</b>
( <i>Diberus</i> ) <i>divaricalx</i> , <i>Lithophaga</i>	15, <b>4-9</b>
<i>divaricalx</i> , <i>Lithophaga</i> ( <i>Diberus</i> )	15, <b>4-9</b>

## E

<i>Elliptotellina flabellum</i>	23, <b>7-3</b>
<i>Elliptotellina kikaizimana</i>	23, <b>7-1</b>
<i>Elliptotellina</i> sp.	23, <b>7-2</b>
Enaga-robaigai	12, <b>2-1</b>
<i>Euciroa millegemmata</i>	30, <b>8-6</b>

## F

<i>flabellum</i> , <i>Elliptotellina</i>	23, <b>7-3</b>
<i>flavus</i> , <i>Regozara</i>	21
( <i>Flodacna</i> ) <i>squamosa</i> , <i>Tridacna</i>	22, <b>6-5</b>
<i>Fronsella philippinensis</i>	20
Fukami-sodegai	11, <b>3-6</b>

## G

<i>galathea</i> , <i>Kermadysmea</i>	24, <b>7-4</b>
Ginrin-hari-nadeshikogai	16, <b>5-2</b>
<i>Glaucanome chinensis</i>	28, <b>7-12</b>
<i>Glossocardia stoliczkana</i>	26, <b>7-7</b>
<i>Gobraeus oriens</i>	25, <b>2-6</b>
Goshiki-zakuragai	24, <b>6-8</b>

## H

<i>Halicardia nipponensis</i>	29, <b>2-7</b>
<i>Haliris</i> ( <i>Setaliris</i> ) <i>makiyamai</i>	30, <b>8-4</b>
( <i>Halistrepta</i> ?) <i>pacifica</i> , <i>Periploma</i>	29, <b>8-2</b>
Hanagumorigai	28, <b>7-12</b>
Hanayaka-masuogai	25, <b>2-6</b>
Hasume-zakuragai	22, <b>6-6</b>
Hataune-fumigai	21, <b>6-3</b>
Hire-jakogai	22, <b>6-5</b>
Hishi-otohime-gokorogai	30, <b>8-4</b>

## I

<i>ikebei</i> , <i>Tenuileda</i>	12, <b>4-2</b>
<i>incubata</i> , <i>Chlamydella</i>	18, <b>5-8</b>
<i>isaotakii</i> , <i>Asthenothaerus</i>	29, <b>8-3</b>
Izuno-hagoromogai	29, <b>8-2</b>

## J

<i>Jactellina obliquistriata</i>	24, 6-8
<i>japonica</i> , <i>Katelsysia</i>	27, 7-9
<i>japonica</i> , <i>Neilonella</i>	10, 3-3
<i>Juxtamusium maldivense</i>	17

## K

Kagero-sodegai	12, 4-2
Karekusa-uchiwagai	15, 2-2
<i>kashimana</i> , <i>Cardiomya</i>	32, 8-11
<i>Katelsysia japonica</i>	27, 7-9
<i>kawamurai</i> , <i>Calyptogena</i> ( <i>Archivesica</i> )	26
<i>kawamurai</i> , <i>Nuculana</i> ( <i>Thestylea</i> )	12
Kawamura-robaigai	12
<i>Kermadysmea galathea</i>	24, 7-4
<i>kiiensis</i> , <i>Nuculana</i> ( <i>Thestylea</i> )	12
Kii-shakushi-robaigai	12
Kikai-hime-zaragai	23, 7-1
<i>kikaizimana</i> , <i>Elliptotellina</i>	23, 7-1
<i>kikuchii</i> , <i>Solen</i>	25, 7-6
Kinu-hime-zaragai	23, 7-2
Kira-hatomugi-sodegai	10, 3-4
<i>kirai</i> , <i>Neilonella</i>	10, 3-4
Kohazegai	22
Komochi-hari-nadeshikogai	18, 5-8
Kongo-ishimategai	15, 4-10
Koshi-hari-nadeshikogai	17, 5-5
Kuro-heri-gaki	19
<i>kyushuensis</i> , <i>Cuspidaria</i>	31, 8-10
<i>Kyushu-shakushigai</i>	31, 8-10

## L

<i>langfordi</i> , <i>Sunettina</i>	27, 7-10
Langford-wasuregai	27, 7-10
( <i>Leiosolenus</i> ) <i>obesa</i> , <i>Lithophaga</i>	14, 4-8
<i>Lima ogasawarenensis</i>	16, 2-3
<i>Lima sagamiensis</i>	16, 5-1
<i>Limatula choshiensis</i>	16
<i>Lithophaga</i> ( <i>Diberus</i> ) cf. <i>canalifera</i>	15, 4-10
<i>Lithophaga</i> ( <i>Diberus</i> ) <i>divaricalx</i>	15, 4-9
<i>Lithophaga</i> ( <i>Leiosolenus</i> ) <i>obesa</i>	14, 4-8
<i>longissima</i> , <i>Adipicola</i>	14, 4-7
<i>Loxoglypta transcalpta</i>	22, 6-6
<i>Lyonsiella parva</i>	30, 8-5

## M

<i>makiyamai</i> , <i>Haliris</i> ( <i>Setaliris</i> )	30, 8-4
<i>maldivense</i> , <i>Juxtamusium</i>	17
Maldives-nishikigai	17
<i>Megacardita coreensis</i>	21, 6-3

Midori-igai	14, 4-6
Mijin-kigokorogai	30, 8-5
Mijin-shakushigai	31, 8-8
Mikado-tsukiyomigai	26, 7-7
<i>millegemmata</i> , <i>Euciroa</i>	30, 8-6
<i>Mimarcaria</i> cf. <i>aizoi</i>	13, 4-4
<i>mitis</i> , <i>Cuspidaria</i>	31, 8-9
Mizuiri-shojogai	19
<i>Monterosatus amamiensis</i>	22
<i>Myadropsis brevispinosus</i>	28, 8-1

## N

<i>nakaii</i> , <i>Cyclopecten</i>	18, 5-6
Nakai-nishikigai	18, 5-6
<i>Neilonella japonica</i>	10, 3-3
<i>Neilonella kirai</i>	10, 3-4
<i>Neilonella soyoae</i>	10, 3-2
Nekoze-shiogamagai	20, 6-2
<i>nipponensis</i> , <i>Cyclopecten</i>	18, 5-7
<i>nipponensis</i> , <i>Halocardia</i>	29, 2-7
Nippon-hatomugi-sodegai	10, 3-3
<i>nipponica</i> , <i>Bathyarca</i>	13, 4-3
<i>nipponica</i> , <i>Cardiomya</i>	31, 2-8
Nippon-otohime-gokorogai	29, 2-7
Nippon-watazoko-nadeshikogai	18, 5-7
<i>Nucula</i> sp.	9, 3-1
<i>Nuculana</i> ( <i>Thestylea</i> ) <i>kawamurai</i>	12
<i>Nuculana</i> ( <i>Thestylea</i> ) <i>kiiensis</i>	12
<i>Nuculana</i> ( <i>Thestylea</i> ) <i>sagamiensis</i>	11, 3-7
<i>Nuculana</i> ( <i>Thestylea</i> ) <i>subscalata</i>	11, 4-1
<i>Nuculana</i> ( <i>Thestylea</i> ) <i>tanseimaruae</i>	12, 2-1

## O

<i>obesa</i> , <i>Lithophaga</i> ( <i>Leiosolenus</i> )	14, 4-8
<i>obliquistriata</i> , <i>Jactellina</i>	24, 6-8
<i>oblonga</i> , <i>Cycladicama</i>	20, 6-2
<i>obtusirostris</i> , <i>Cuspidaria</i>	31, 8-7
Ogasawara-minogai	16, 2-3
<i>ogasawarenensis</i> , <i>Lima</i>	16, 2-3
Ohaguro-gaki-modoki	19, 6-1
O-hari-nadeshikogai	16, 5-3
<i>ohashii</i> , <i>Cratis</i>	13, 4-5
Ohashi-shirasunagai-modoki	13, 4-5
Okinawa-wasuregai	27, 7-10
<i>oriens</i> , <i>Gobraeus</i>	25, 2-6

## P

<i>pacifica</i> , <i>Periploma</i> ( <i>Halistrepta</i> ?)	29, 8-2
<i>parasitica</i> , <i>Saccostrea</i>	19
<i>parva</i> , <i>Lyonsiella</i>	30, 8-5
<i>Parvamussium</i> sp.	19, 2-4

<i>pectiniforme</i> , <i>Vasticardium</i>	21, 6-4
<i>Periploma</i> ( <i>Halistrepta</i> ?) <i>pacifica</i>	29, 8-2
<i>Perna viridis</i>	14, 4-6
<i>petalina</i> , <i>Soletellina</i>	25, 7-5
<i>Petricola</i> sp.	28, 7-11
<i>philippinensis</i> , <i>Abra</i>	24
<i>philippinensis</i> , <i>Fronsella</i>	20
Philippines-hanabiragai	20
<i>Propeamussium siratama</i>	17, 5-4

## R

<i>Regozara flavus</i>	21
<i>robiginosa</i> , <i>Cardiomya</i>	32, 8-12
Ryugu-washinohagai	13, 4-4
Ryukyu-zarugai	21

## S

Sabi-hime-shakushigai	32, 8-12
<i>Saccostrea cucullata</i>	19, 6-1
<i>Saccostrea parasitica</i>	19
<i>sadoensis</i> , <i>Cuspidaria</i>	31, 8-8
Sagami-arabori-robaigai	11, 3-7
<i>sagamiensis</i> , <i>Lima</i>	16, 5-1
<i>sagamiensis</i> , <i>Nuculana</i> ( <i>Thestylea</i> )	11, 3-7
Sagami-maru-minogai	16, 5-1
Sagami-watazoko-egai	13, 4-3
Same-zaragai	23, 6-7
<i>scabra</i> , <i>Veremolpa</i>	27, 7-8
<i>scobinata</i> , <i>Scutarcopagia</i>	23, 6-7
<i>Scutarcopagia scobinata</i>	23, 6-7
Sekiguchi-hime-shakushigai	31, 2-8
Sekitori-ishimategai	14, 4-8
( <i>Setaliris</i> ) <i>makiyamai</i> , <i>Haliris</i>	30, 8-4
Shiratama-tsukihigai	17, 5-4
<i>sibogae</i> , <i>Tucetona</i> cf.	15, 2-2
<i>similis</i> , <i>Tindaria</i> cf.	11, 3-6
<i>simplex</i> , <i>Axinulus</i>	20, 2-5
<i>siratama</i> , <i>Propeamussium</i>	17, 5-4
<i>Solen kikuchii</i>	25, 7-6
<i>Soletellina petalina</i>	25, 7-5
<i>soyoe</i> , <i>Neilonella</i>	10, 3-2
Soyo-hatomugi-sodegai	10, 3-2
<i>Spondylus varius</i>	19
<i>squamosa</i> , <i>Tridacna</i> ( <i>Flodacna</i> )	22, 6-5
<i>stoliczkana</i> , <i>Glossocardia</i>	26, 7-7
<i>subscalata</i> , <i>Nuculana</i> ( <i>Thestylea</i> )	11, 4-1

Sudare-hamaguri	27, 7-9
Sudare-yoshigai	24, 7-4
Suehiro-ishimategai	15, 4-9
Suehiro-mayugai	14, 4-7
<i>Sunettina langfordi</i>	27, 7-10

## T

Taiwan-hime-kanokoasari	27, 7-8
<i>takaii</i> , <i>Bathymalletia</i>	10, 3-5
Takai-sodegai	10, 3-5
Taki-suemonogai	29, 8-3
(Tansei-) Enaga-robaigai	12, 2-1
<i>tanseimaruae</i> , <i>Nuculana</i> ( <i>Thestylea</i> )	12, 2-1
<i>Tenuileda ikebei</i>	12, 4-2
<i>tenuissima</i> , <i>Cetoconcha</i>	30
( <i>Thestylea</i> ) <i>kawamurai</i> , <i>Nuculana</i>	12
( <i>Thestylea</i> ) <i>kiiensis</i> , <i>Nuculana</i>	12
( <i>Thestylea</i> ) <i>sagamiensis</i> , <i>Nuculana</i>	11, 3-7
( <i>Thestylea</i> ) <i>subscalata</i> , <i>Nuculana</i>	11, 4-1
( <i>Thestylea</i> ) <i>tanseimaruae</i> , <i>Nuculana</i>	12, 2-1
<i>Tindaria</i> cf. <i>similes</i>	11, 3-6
Toge-yamazaki-suemonogai	28, 8-1
<i>transcalpta</i> , <i>Loxoglypta</i>	22, 6-6
<i>Tridacna</i> ( <i>Flodacna</i> ) <i>squamosa</i>	22, 6-5
Tsugino-enaga-robaigai	11, 4-1
Tsuya-ryugu-zakuragai	24
<i>Tucutona</i> cf. <i>sibogae</i>	15, 2-2

## U

Usukara-shiotsugai	28, 7-11
--------------------	----------

## V

<i>vancouverensis</i> , <i>Delectopecten</i>	16, 5-3
<i>varius</i> , <i>Spondylus</i>	19
<i>Vasticardium pectiniforme</i>	21, 6-4
<i>Veremolpa scabra</i>	27, 7-8
<i>viridis</i> , <i>Perna</i>	14, 4-6

## W

Watazoko-shakushigai	31, 8-7
----------------------	---------

## Y

Yogore-hanashigai	20, 2-5
Yomosugara-sodegai	11, 3-6
Yowa-(bidoro-)sunamegai	30
Yowa-shakushigai	31, 8-9

Information for obtaining copies is available from :  
Publishing Association of "A Catalogue of Molluscs  
of Wakayama Prefecture" c/o Yasuo Koyama  
1-1 Takumi-cho  
Wakayama City 640-8028  
JAPAN

---

平成15年 2 月18日印刷

平成15年 3 月15日発行

編 集 和歌山県貝類目録編集委員会

649-2211 和歌山県西牟婁郡白浜町  
京都大学瀬戸臨海実験所内

発行人 小 山 安 生

発行所 和歌山県貝類目録刊行会

640-8028 和歌山市匠町1-1 小山安生 方  
Tel & Fax 0734-22-4525

印 刷 日本印刷出版株式会社

553-0006 大阪市福島区吉野1丁目2-7  
Tel 06-6441-6594  
Fax 06-6443-5815

---



"Publications of the Seto Marine Biological Laboratory, Special Publication Series" is the new name for the "Special Publications from the Seto Marine Biological Laboratory", starting from Vol. VI. In the "Special Publication Series", it is intended to publish the results of research and investigations on a specific subject in each volume, including taxonomic monographs. Volumes are issued at irregular intervals, divided into parts if necessary, and numbered in continuous sequence with the former series. The volumes of the "Special Publication Series" so far issued are as follows:

- Vol. I. Biological Results of the Japanese Antarctic Research Expedition 1-17. 1959-1962. Completed.
- Vol. II. Ecology and Biological Production of Lake Nakaumi and Adjacent Regions, Part I-Part II, No. 1-No.5. 1964-1968. Continuing.
- Vol. III. Taxonomic Studies of Caprellids (Crustacea, Amphipoda, Caprellidae) Found In Japanese and Adjacent Waters. 1976. Completed.
- Vol. IV. Studies on Philippine Marine Red Algae. 1977. Completed.
- Vol. V. Haplostominae (Copepoda, Cyclopodia) associated with Compound Ascidians from the San Juan Archipelago and Vicinity. 1977. Completed.
- Vol. VI. Studies of the Family Peridinidae, and Unfinished Monograph of the Armored Dinoflogellata. 1981. Completed.
- Vol. VII. A Catalogue of Molluscs of Wakayama Prefecture, The Province of Kii. I Bivalvia, Scaphopoda and Cephalopoda. 1981. Continuing.